



CUSTOMER INFORMATION

Hamburg, 24.01.2022


In-use stability

Dear Sir or Madam,

Following you will find an overview of the shelf life after opening for our products.

Shelf life before the initial opening

Information about the shelf life of closed containers can be found on the labels of all our products. Following key words indicate the shelf life:

- “use by” for medicinal products for hand disinfection or skin antiseptics
- “best before” for cosmetics, and
- „“ for medical and biocidal products.

In-use stability in a tightly closed container

The following in-use stabilities were determined for our products that have been opened and tightly closed again:

<i>Product group</i>	<i>In-use stability</i>
Alcohol-based hand disinfectants	12 months (shelf life can vary when used in dispenser, see “Shelf life when using hand/skin products in wall dispensers”)
Alcohol-based skin disinfectants	
Skin-/hand-cleaning products	12 months
<u>Exception:</u> Stellisept med gloves	1 week
Skin-/hand-care products	12 months
Instrument cleaners	12 months
Instrument disinfectants	12 months



CUSTOMER INFORMATION

Product group	In-use stability
Surface disinfectants	12 months
<u>Exceptions:</u>	
Bacillol® Wipes in dispenser system	28 days
Bacillol® Tissues in dispenser	3 months
Bacillol® AF Tissues in flow pack	3 months
Bacillol® 30 Sensitive Tissues/XXL in flow pack	3 months
Bacillol® 30 Tissues/XXL in flow pack	3 months
Mikrobac® Tissues/XXL in flow pack	3 months
Mikrobac® Virucidal Tissues in flow pack	When used daily, use for a maximum of four weeks. Once opened, the package must be discarded if not used for more than one week
Kohrsolin® FF Tissues in flow pack	3 months
Sterillium® Protect & Care Disinfection Tissues Surface	3 months
Dismofix® G	12 months

These statements are not valid for the sachets, since they are single-use products. Further, above statements are only valid for the opened original container. In case of transferring product into other containers, in addition to the legislative regulations, the risk of microbial contamination and mixing with residual product must be considered.



CUSTOMER INFORMATION

Shelf life when using hand/skin products in wall dispensers

Our hand/skin products are stable for **12 months** after opening when using dispensers marketed by us.

Exception:

- Our products are stable for **6 months** after opening when using the **Eurodispenser 1**.
- Our products are stable for **4 months** after opening when using dispensers **without mounted pump** or **without closing system** to cover the bottle neck

The usage of mounted single-use pumps provides the best protection of the bottle content. The data determined for the use of dispensers are only valid if the dispensers are kept in perfect hygienic condition and no product residuals can contaminate new products. It is the user's responsibility to label products concerning their shelf life after opening.

Best regards,

BODE Chemie GmbH

Raphael Bohner
Head of Quality Control

Dr. Dirk Rehders
Head of Quality Control –
Analytical Development

*Use disinfectants safely. Always read the label and product information before use.
Please amend in accordance with local requirements (e.g. law of advertising, product status, CLP labelling).*



The statements in the document correspond to the current state of knowledge. Future changes are possible without automatic prior notice.